

INDEX MAPS.

T. 14N, R. 2E. 2nd Mer.

	7	6	6	6	5	5						
9	6	29	5	24	4	20	3	17	2	13	1	5
	29		29		24		20		16		12	
9	7	28	8	23	9	20	10	16	11	12	12	4
	28		28		23		19		16		12	
8	18	27	17	23	16	19	15	15	14	11	13	4
	27		27		22		19		15		11	
8	19	26	20	22	21	18	22	14	23	11	24	3
	26		26		22		18		14		10	
7	30	25	29	21	28	18	27	14	26	10	25	3
	25		25		21		17		13		10	
7	31	24	32	21	33	17	34	13	35	9	36	3
	2		2		2		1		1		1	

T. 15N, R. 2E. 2nd Mer.

	37	37	36	36	35	35						
39	6	59	5	54	4	50	3	46	2	43	1	35
	59		59		54		50		46		42	
39	7	58	8	53	9	49	10	46	11	42	12	34
	58		58		53		49		45		42	
38	18	57	17	53	16	49	15	45	14	41	13	34
	57		57		52		48		45		41	
38	19	56	20	52	21	48	22	44	23	41	24	34
	56		56		52		48		44		40	
38	30	55	29	51	28	47	27	44	26	40	25	33
	55		55		51		47		43		40	
37	31	54	32	50	33	47	34	43	35	39	36	33
	32		32		32		31		31		31	

☞ The figures on the lines refer to the page.

1

Township N. 14 North, Range N. 2 E, 2. Mer. Indiana

South Boundary

Nest On S. boundary of Sec. 36, T14N. R2E.
11.25 a Hackberry 12 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Beech 12 in. diam. bear S66W 13 lks. dist. of
a Do 30 " " " N57W 22 " "
58.25 an Ash 20 " " in the line
80.00 Set a post Cor. to Sec. 35 & 36, from which
a Buckeye 12 in. diam. bear S38W 15 lks. dist. of
a Hackberry 9 " " " N3E 18 " "
Land level 1st 1/2 River bottom low ground 1st rate
land, timber Walnut, Hackberry, Buckeye & Spice

Nest On S. boundary of Sec. 35, T14N. R2E.
20.00 a Poplar 16 in. diam. in the line
40.00 Set the q. Sec. post, from which
a W. Oak 21 in. diam. bear S28W 22 lks. dist. of
a Beech 7 " " " N14W 15 " "
62.10 an Ash 20 " " in the line
80.00 Set a post Cor. to Sec. 34 & 35, from which
a Sugar 10 in. diam. bear S35W 25 lks. dist. of
a Do 14 " " " N53E 20 " "
Rolling land good for farming, timber Sugar,
Ash, Beech &c. underg. Spice, rich Soil

Nest On S. boundary of of Sec. 34, T14N. R2E
12.60 a Branch 5 lks. wide Cr. S. E.
26.20 a Do 8 " " " S E.
27.30 an Ironwood 8 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Beech 9 in. diam. bear N21E 4 lks. dist. of
a Walnut 12 " " " S50E 67 " "
61.70 a Poplar 18 " " in the line

T44 N. R2 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 33 & 34, from which
a Hickory 10 in. dia. bear N4E30 lb. dist. of
a Do. 12 " " " N26W10 " "
Rolling land timber Beech, Ash, Sugar, Oak
undergth Spice, Soil good.

Nest On S. boundary of Sec. 33, T44 N. R2 E.

23.25 a Hickory 18 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Beech 15 in. dia. bear N41E10 lb. dist. of
a Sugar 9 " " " N77W27 " "

51.75 a Sugar 15 " " in the line

80.00 Set a post Cor. to Sec. 32 & 33, from which
a Hickory 6 in. dia. bear S33E11 lb. dist. of
a Beech 9 " " " N83W19 " "
Sand level timber Beech, Oak, Sugar &c. undergth.
Spice, Hazel &c. undergth. Soil good

Nest On S. boundary of Sec. 32, T44 N. R2 E.

31.55 a Branch 6 lb. wide C.S. S.W.

40.00 Set the q. Sec. post, from which
a Hickory 9 in. dia. bear S35E6 lb. dist. of
a Blue Ash 10 " " " N78W14 " "

53.10 a Branch 6 lb. wide C.S. S.E.

53.60 a Blue Ash 30 in. dia. in the line

80.00 Set a post Cor. to Sec. 31 & 32, from which
a Beech 13 in. dia. bear N69E15 lb. dist. of
a Do 10 " " " N60W33 " "
Good farming land, Beech, Sugar, Ash &c.
undergrowth Spice &c

Nest On S. boundary of Sec. 31, T44 N. R2 E.

8.15 a Beech 36 in. dia. bear in the line

T4N R2E 2^d. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a Sugar 6 in. dia. bray S 18 W 8 lks. dist. of
 a Do 9 " " " N 17 W 15 " "
 64.70 to Lower Corner.
 Land rolling, timber Sugar, Ash, Poplar &c.
 underg^d. Spruce &c.

- East Boundary var. 6⁰⁰.
 North On E. boundary of Sec. 36, T4N. R2E.
 19.25 a Walnut 19 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hackberry 14 in. dia. bray S 41 E 31 lks. dist. of
 a Buckeye 13 " " " S 84 W 2 " "
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a Buckeye 30 in. dia. bray S 47 W 32 lks. dist. of
 a Do 18 " " " N 70 E 22 " "
 Over low ground rich Soil, timber Walnut
 Buckeye, Hackberry &c.

- North On E. boundary of Sec. 25, T4N. R2E.
 10.15 a Sugar 18 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bray N 56 W 5 lks. dist. of
 a Sugar 7 " " " S 71 E 14 " "
 80.00 Set a post Cor. to Sec. 24 & 25, from which
 a Hickory 10 in. dia. bray S 15 W 40 lks. dist. of
 a Do 8 " " " N 18 E 27 " "
 Over rich land, timber Same as on last mile

- North On E. boundary of Sec. 24, T4N. R2E
 16.50 a Hackberry 14 in. dia. in the line
 37.00 a Brook 6 lks. wide Cr. S. E.
 40.00 Set the q. Sec. post, from which

T4N R2E 2^d Mer. Indiana

a W. Oak 24 in. diam. bear S 29° W 12 lks. dist. of
 a Beech 13 " " " N 21 E 27 " "
 52.35 a Hickory 12 " " in the line
 80.00 Let a post Cor. to Sec. 13 of 24, from which
 a Beech 20 in. diam. bear S 11° W 40 lks. dist. of
 an Ash 10 " " " N 9 E 17 " "
 Good farming land

North On E. boundary of Sec. 13, T4N R2E.
 24.80 a Spanish Oak 40 in. diam.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. diam. bear S 33 E 31 lks. dist. of
 a Hickory 18 " " " N 49° W 13 " "
 56.06 a Hickory 18 " " in the line
 80.00 Let a post Cor. to Sec. 12 of 13 (in a Brook 8
 links wide C. E.) from which
 a Sycamore 20 in. diam. bear S 48° W 40 lks. dist. of
 a Do 30 " " " N 48° W 28 " "
 Over good farming land

North On E. boundary of Sec. 12, T4N R2E.
 11.30 a Brook 7 lks. wide C. E.
 27.60 a Sugar 14 in. diam. in the line
 40.00 Let the q. Sec. post, from which
 a — 6 in. diam. bear S 26 E 17 lks. dist. of
 a Sugar 24 " " " N 70° W 27 " "
 62.60 a Beech 13 " " in the line
 74.80 a Creek 25 lks. wide C. S. E.
 80.00 Let a post Cor. to Sec. 16 of 17, from which
 a Beech 20 in. diam. bear S 20 E 20 lks. dist. of
 a Do 18 " " " N 20 E 5 " "
 Over good farming land, timber Beech, Sugar
 Ash &c. under ^{to} Spruce &c.

T4N N2E, 2^d Mer. Indiana

North On E. boundary of Sec. 1, T4N. R2E.
 29.75 an Ash 14 in. diam. in the line
 40.00 Set the g. Sec. post, from which
 a Hickory 10 in. diam. bran S59W10 lks. dist. &
 an Oak 15 " " " N69E27 " "
 75.86 Set a post Cor. to Townships N. 14 & 15 N,
 Range N. 2 & 3 E. from which
 a Beech 18 in. diam. bran S54W13 lks. dist. &
 a Do 14 " " " N76E46 " "
 Over good farming land, timber Sugar, Beech,
 Ash &c. under gth Spruce.

North Boundary

West On S. boundary of Sec. 36, T15N. R2E
 23.53 an Ash 16 in. diam. in the line
 40.00 Set the g. Sec. post, from which
 a Beech 8 in. diam. bran N72W24 lks. dist. &
 a Do 10 " " " S72E23 " "
 56.86 a Beech 14 " " in the line
 63.50 a Brook 10 lks. wide Cr. S. E.
 80.00 Set a post Cor. to Sec. 35 & 36, T15N. R2E, from which
 a Beech 10 in. diam. bran North 12 lks. dist. &
 a Poplar 60 " " " S29W9 " "
 Over good farming land, timber Beech, Sugar, Ash,
 &c. under gth Spruce.

West On S. boundary of Sec. 35, T15N. R2E.
 14.90 an Elm 30 in. diam. in the line
 40.00 Set the g. Sec. post, from which
 a Beech 12 in. diam. bran N29E14 lks. dist. &
 a Do 10 " " " S76W12 " "
 41.50 a Brook 6 lks. wide Cr. S. E.
 55.45 an Elm 18 in. diam. in the line

T4N R2E 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 34 & 35, T4S R2E, from which
 a Beech 12 in. diam. bray N 82 E 37 lks. dist. &
 a Sugar 16 " " " N 59 W 17 " "
 Over good farming land, timber Beech, Oak,
 Sugar &c.

West On S. boundary of Sec. 34, T4S R2E
 18.45 an Ash 12 in. diam. in the line
 40.00 Set the gr. Sec. post, from which
 a W. Oak 36 in. diam. bray S 72 E 30 lks. dist. &
 a Beech 10 " " " N 72 W 20 " "
 80.00 Set a post Cor. to Sec. 33 & 34, T4S R2E, from which
 a Beech 12 in. diam. bray S 64 E 14 lks. dist. &
 a Do 8 " " " N 52 W 10 " "
 Over level land, timber Hickory, Ash, Oak &c.

West On S. boundary of Sec. 33, T4S R2E.
 25.70 a Spanish Oak 30 in. diam. in the line
 40.00 Set the gr. Sec. post, from which
 a Sugar 10 in. diam. bray S 50 E 15 lks. dist. &
 a Hickory 18 " " " N 57 W 48 " "
 70.17 a Sugar 12 " " in the line
 80.00 Set a post Cor. to Sec. 32 & 33, T4S R2E, from which
 Over good farming land, timber Oak, Sugar, Ash &c
 a Walnut 30 in. diam. bray S 23 E 45 lks. dist. &
 a Sugar 19 " " " N 23 E 22 " "

West On S. boundary of Sec. 32, T4S R2E
 23.50 a Creek 50 lks. wide Cr. S.
 40.00 Set the gr. Sec. post, from which
 a Beech 18 in. diam. bray N 10 E 44 lks. dist. &
 a Do 18 " " " N 59 W 16 " "
 53.00 a Brook 7 lks. wide Cr. S. E.

7

14 N. R2 E. 2nd Mer. Indiana

59.26 at Beech 20 m. dist. in the line
 80.00 Set a post Cor. to Sec. 31 & 32, 15 N. R2 E. from which
 a Beech 8 m. dist. bear N 70 E 35 lbs. dist. of
 a Sugar 16 " " " S 74 W 40 " "
 Over good farming land, timber Oak, Sugar
 Beech &c. undergth Spice.

West On S. boundary of Sec. 31, 15 N. R2 E.
 14.60 a Beech 15 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory 11 m. dist. bear S 31 W 10 lbs. dist. of
 a Sugar 12 " " " N 46 W 19 " "
 68.00 Intersected the N & S. line between Ranges 14
 & 2 E. at the Corner of Towns 14 & 15 North
 August 12th 1819.

West Boundary var. 6° 20' E

North On E. boundary of Sec. 36, 14 N. R1 E
 19.65 a Sugar 21 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 21 m. dist. bear N 45 W 16 lbs. dist. of
 an Elm 15 " " " N 21 E 18 " "
 44.40 a Poplar 30 " " in the line
 53.50 a Branch 5 lbs. wide Cr. S. W.
 79.50 a Brook 75 " " " S. W.
 80.00 Set a post Cor. to Sec. 25 & 36, 14 N. R1 E. from which
 a Boxelder 7 m. dist. bear N 44 W 25 lbs. dist. of
 an Elm 24 " " " S 16 E 50 " "
 Rolling land timber Sugar, Walnut &c. Soil good

North On E. boundary of Sec. 25, 14 N. R1 E.
 21.35 a Sugar 18 m. dist. in the line
 40.00 Set the q. Sec. post, from which

T4 N R2 E, 2^d Mer. Indiana

an Elm 9 in. diam. bray N53W7 lks. dist. of
 a Sugar 10 " " " N68E15 " "
 43.30 a Hackberry 20 in. diam. in the line
 80.00 Set a post Cor. to Sec. 24 & 25, T4 N R2 E, from which
 a Beech 24 in. diam. bray N60E5 lks. dist. of
 a Hackberry 12 " " " N34W25 " "
 Rolling land, timber Sugar, Poplar &c. underg.th
 Spice. good farming land

North On E. boundary of Sec 24, T4 N R2 E.
 25.20 a Branch 6 lks. wide C.S.E.
 28.05 a Beech 14 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 27 in. diam. bray N40W15 lks. dist. of
 an Elm 15 " " " N53E33 " "
 48.20 a Branch 7 lks. wide C.S.E.
 52.75 a W. Oak 40 in. diam. in the line
 80.00 Set a post Cor. to Sec. 13 & 24, T4 N R2 E, from which
 a Beech 7 in. diam. bray N27E14 lks. dist. of
 a Gum 20 " " " N33W12 " "
 Rolling land timber Sugar, B. Oak, Oak &c
 underg.th Spice good farming land

North On E. boundary of Sec. 13, T4 N R2 E.
 14.75 a Beech 18 in. diam. in the line
 28.75 a Branch 5 lks. wide C.S.E.
 40.00 Set the q. Sec. post, from which
 a Beech 21 in. diam. bray N15W7 lks. dist. of
 an Ash 18 " " " N80E20 " "
 64.90 a Beech 14 " " in the line
 80.00 Set a post Cor. to Sec. 12 & 13, T4 N R2 E, from which
 an Ash 36 in. diam. bray N75E6 lks. dist. of
 a Hickory 14 " " " N66W20 " "

9
T4 N. R2 E. 2^d. Mer. Indiana

Rolling land, timber Beech, Sugar, Ash &c.
undergth Spice. Soil good

North On E. boundary of Sec. 12, T4 N. R1 E.

18.70 a Hickory 10 in. dia. in the line

40.00 Set the q. Sec. post, from which

an Elm 9 in. dia. bear S 22 W 30 lks. dist. of

a Spr. Ash 10 " " " N 40 E 6 " "

57.80 a W. Oak 36 " " in the line

80.00 Set a post Cor. to Sec. 1 & 12, T4 N. R2 E, from which

a Beech 24 in. dia. bear N 56 W 26 lks. dist. of

a Sugar 9 " " " N 35 E 16 " "

Gently rolling, timber Beech, Ash, Sugar, Oak
&c. undergth Spice, Ash &c. Soil good

North On E. boundary of Sec. 1, T4 N. R1 E.

10.20 a Hickory 24 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 6 in. dia. bear S 40 W 21 lks. dist. of

a Sugar 12 " " " N 69 E 25 " "

79.00 Set a post Cor. to Townships N. 14 & 15 North

Ranges, N. 1 & 2 E. from which

a Sugar 10 in. dia. bear S 17 W 36 lks. dist. of

an Elm 14 " " " N 10 E 26 " "

Level land, timber, Beech, Ash, Sugar &c.

undergth Spice, Soil good. Aug. 12th 1819

Surveyed by John M. Donald, R.S.

Comp

Subdivision.

North Between Sec. 35 & 36, T4 N. R2 E.

12.00 a W. Oak 30 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 12 in. dia. bear N 44 E 12 lks. dist. of

T4N R2E, 2^d Mer. Indiana

at Beech 14 in. dia. bran S 32 E 21 lks. dist. of
 73.69 a B. Walnut 14 " " in the line
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 at Beech 12 in. dia. bran N 36 E 15 lks. dist. of
 a do 14 " " " S 63 W 20 " "
 Land 2^d rate, timber Beech, Oak, Sugar &c.
 undergrowth Spruce &c.

East On Random between Sec. 25 & 36, T4N. R2E.
 40.00 Set temp. q. Sec. post
 80.71 Intersected the E. boundary 186 lks. S. of post.
 Land 1st rate, timber Sugar, Ash, Walnut,
 Beech &c. High weed, & nettles

West On true line between Sec. 25 & 36, T4N. R2E.
 40.35 Set q. Sec. post at average dist. from which
 a Sugar 14 in. dia. bran N 32 W 35 lks. dist. of
 an Elm 4 " " " S 73 E 25 " "
 80.71 to Sec. Corner.

North Between Sec. 25 & 26, T4N. R2E.
 28.60 a W. Oak 14 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Beech 14 in. dia. bran N 35 E 15 lks. dist. of
 a do 8 " " " N 75 W 4 " "
 73.86 an Oak 30 " " in the line
 78.00 a stream 5 lks. wide Cr. & W.
 80.00 Set a post Cor. to Sec. 25, 26, 23 & 24, from which
 a Beech 7 in. dia. bran N 23 E 9 lks. dist. of
 a Buckeye 10 " " " S 70 W 12 " "
 Land 2^d rate, timber Beech, Sugar, Oak, Elm &c.

East On Random between Sec. 24 & 25, T4N. R2E.

T4N R2E, 2^d Mer. Indiana

40.00 Set temp. of Sec. post
80.45 Intersected the E. boundary 72 lks. S. of post
Land 2^d rate, timber Beech, Oak, Sugar, Elm etc.

West On true line between Sec. 24 & 25, T4N. R2E.
40.22 1/2 Set of Sec. post at average dist. from which
at Beech 6 in. dia. bray N 5 W 19 lks. dist. of
a Sugar 14 " " " S 14 W 30 " "
80.45 to Sec. Corner July 17th 1820

North Between Sec. 23 & 24, T4N. R2E.
24.00 at Beech 10 in. dia. in the line
40.00 Set the of Sec. post, from which
at Beech 14 in. dia. bray N 51 E 4 lks. dist. of
a Do 14 " " " S 40 W 47 " "
55.50 a stream 5 lks. wide Cr. S.E.
80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
a Sugar 12 in. dia. bray N 4 E 35 lks. dist. of
a Do 8 " " " S 7 W 7 " "
Land 2^d rate timber Oak, Hickory, Sugar, Beech etc.

East On Rand. between Sec. 13 & 24, T4N. R2E.
40.00 Set temp. of Sec. post
80.54 Intersected the E. boundary 60 lks. S. of post.
Land 1st rate Oak, Sugar, Walnut etc.

West On true line between Sec. 13 & 24, T4N. R2E.
40.27 Set of Sec. post at average dist. from which
a Hornbeam 8 in. dia. bray N 13 W 13 lks. dist. of
a Walnut 20 " " " N 65 E 38 " "
80.54 to Sec. Corner

North Between Sec. 13 & 14, T4N. R2E.

Map R2E, 2nd Mer. Indiana

25.10 a Beech 12 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bear S 20 W 25 lks. dist. &
 a Sugar 12 " " " N 7 E 18 " "
 54.30 a W. Oak 18 " " in the line
 80.00 Set a post Cor. to Sec. 11, 12, 13, & 14, from which
 a W. Oak 12 in. dia. bear N 40 E 20 lks. dist. &
 an Ash 4 " " " S 27 W 32 " "
 Land flat 2nd rate, Beech, Mash, Oak &c.

East On Random between Sec. 12 & 13, T4 N. R2E.
 40.00 Set temp. q. Sec. post
 80.43 Intersected the E. boundary 69 lks. S. of post.
 Land 2nd rate, Beech, Oak, W. Ash &c.

West On true line between Sec. 12 & 13, T4 N. R2E.
 40.22 Set q. Sec. post at average dist. from which
 a Beech 10 in. dia. bear N 31 W 14 lks. dist. &
 a do 8 " " " S 24 W 18 " "
 80.43 to Sec. Corner July 18th. 1820

North Between Sec. 11 & 12, T4 N. R2E.
 27.65 a Beech 12 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 in. dia. bear N 81 E 10 lks. dist. &
 a do 30 " " " N 84 W 43 " "
 76.25 a B. Walnut 12 " " in the line
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 a B. Oak 12 in. dia. bear N 13 E 3 lks. dist. &
 a do 12 " " " N 47 W 19 " "
 Land 2nd rate, level, Oak, Beech, Sugar &c.

East On Random between Sec. 1 & 12, T4 N. R2E.

St. N. P. D. E. Mer. Indiana

40.00 at temp. q. Sec. post,
 71.00 a stream 5 lks. wide Cr. S. E.
 80.40 intersected the E. boundary 129 lks. S. of post
 Land 2^d rate, Beech, Oak, Sugar & Sprucewood

West On true line between Sec. 15 & 12, St. N. P. D. E.
 40.20 at q. Sec. post at average dist. from which
 a W. Oak 6 in. dia. bears N 45° E 23 lks. dist.
 a Buckeye 5 " " " N 45° W — " "
 80.40 to Sec. Corner

North Between Sec. 15 & 12, St. N. P. D. E.
 31.85 a Beech 14 in. dia. in the line
 40.00 at the q. Sec. post, from which
 a Beech 10 in. dia. bears N 12° E 19 lks. dist.
 a do 14 " " " N 12° W 9 " "
 68.55 a W. Oak 14 " " in the line
 76.00 a stream 10 lks. wide Cr. E.
 79.78 intersected the N. Boundary at the post
 Land 2^d rate, timber Beech, Oak, W. Walnut
 Elm &c.

North Between Sec. 34 & 35, St. N. P. D. E.
 4.15 an Ash 12 in. dia. in the line
 40.00 at the q. Sec. post, from which
 a Beech 14 in. dia. bears S 48° W 22 lks. dist.
 a do 10 " " " S 47° E 30 " "
 80.00 at a post cor. to Sec. 26, 27, 34 & 35, from which
 a Sugar 12 in. dia. bears S 48° W 24 lks. dist.
 a Beech 30 " " " S 86° E 31 " "
 Land 2^d rate, timber Beech, Oak, Sugar &c.

East On Random between Sec. 26 & 35, St. N. P. D. E.

T4 N R2 E, 2ⁿ. Mer, Indiana

40.00 Set temp^y. g. Sec. post
81.00 Intersected the N & S. line 165 lks. S. of post.
Land 2ⁿ. rate

West On true line betwⁿ. Sec^s. 26 & 35, T4 N. R2 E.
40.50 Set g. Sec. post at average dist. from which
a W. Oak 12 mi. dist. bear S 48° W 10 lks. dist. of
a B. Oak 30 " " " N 26° E 28 " "
81.00 to Sec. Corner.

North Between Sec^s. 26 & 27, T4 N. R2 E.
19.22 a Beech 36 mi. dist. in the line
40.00 Set the g. Sec. post, from which
a Beech 12 mi. dist. bear S 87° E 27 lks. dist. of
a llo 5 " " " N 83° W 3 " "
66.30 a W. Oak 24 " " in the line
80.00 Set a post cor. to Sec^s. 22, 23, 26 & 27, from which
a Beech 8 mi. dist. bear N 35° W 4 lks. dist. of
a llo 6 " " " S 44° E 32 " "
Land 2ⁿ. rate, Beech, Oak, Sugar &c.

East On Random between Sec^s. 23 & 26, T4 N. R2 E.
40.00 Set temp^y. g. Sec. post
81.20 Intersected the N & S. line 56 lks. S. of the post
Land 2ⁿ. rate, Beech, Oak, Ash &c.

West On true line between Sec^s. 23 & 26, T4 N. R2 E.
40.60 Set g. Sec. post at average dist. from which
a Beech 10 mi. dist. bear S 76° W 15 lks. dist. of
a llo 18 " " " N 54° E 15 " "
81.20 to Sec. Corner.

North Between Sec^s. 22 & 23, T4 N. R2 E

15

T4 N. R2 E. 2^d Mer. Indiana

- 20.00 a Stream 5 lks. wide Cr. E.
 20.50 a Poplar 30 in. dia. in the line
 23.50 a Stream 3 lks. wide Cr. E.
 40.00 Let the q. Sec. post, from which
 a Beech 14 in. dia. bray N 57 E 13 lks. dist. &
 a Do 8 " " " S 62 W 11 " "
 62.50 a Sugar 24 " " in the line
 80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Sugar 10 in. dia. bray N 33 E 29 lks. dist. &
 a Do 8 " " " S 33 W 20 " "
 Land 2^d rate, Beech, Oak, Sugar, Elm &c.

East On Random between Sec. 14 & 23, T4 N. R2 E.

- 40.00 Let temp. q. Sec. post
 81.09 Intersected the N & S. line 66 lks. N. of the post &
 Land 2^d rate, timber as before. July 19th 1820

West On true line between Sec. 14 & 23, T4 N. R2 E.

- 40.54 1/2 Let q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bray N 6 E 38 lks. dist. &
 a Do 12 " " " S 2 E 46 " "
 81.09 to Sec. Corner

North Between Sec. 14 & 15, T4 N. R2 E.

- 2.50 a Stream 5 lks. wide Cr. S. E.
 37.05 a Beech 12 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Walnut 20 in. dia. bray N 42 W 14 lks. dist. &
 a Beech 14 " " " S 82 E 15 " "
 46.00 a Stream 3 lks. wide Cr. S. E.
 64.83 a Beech 14 in. dia. in the line
 80.00 Let a post. Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 30 in. dia. bray S 60 E 50 lks. dist. &

T4N R2E, 2nd Mer. Indiana

a Poplar 50 in. dia. brang N34W23 lks. dist.
Land 2nd rate, Beech, Poplar, Oak, Sugar &c.

East On Random between Sec. 1, 14, T4N, R2E.

40.00 Set temp. of Sec. post

81.00 Intersected the N & S. line 50 lks. N. of the post

Land 2nd rate, timber same as on the last mile

West On true line betw. Sec. 1, 14, T4N, R2E.

40.50 Set of Sec. post at average dist. from which

a Beech 14 in. dia. brang N68E5 lks. dist. of

a Do 12 " " " N45W30 " "

81.00 to Sec. Corner.

North Between Sec. 10 & 11, T4N, R2E.

25.70 a Beech 24 in. dia. in the line

40.00 Set the of Sec. post, from which

a Beech 8 in. dia. brang N65W20 lks. dist. of

a W. Oak 12 " " " N57E24 " "

62.21 a Beech 14 " " in the line

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which

a Beech 18 in dia. brang N68W10 lks. dist. of

a Do 14 " " " N59E44 " "

Land 2nd rate Beech, Oak, Sugar &c.

East On Random between Sec. 2 & 11, T4N, R2E.

40.00 Set temp. of Sec. post

81.00 Intersected the N & S. line 24 lks. N. of post.

Land timber &c. same as on the last mile

West On true line between Sec. 2 & 11, T4N, R2E.

40.50 Set of Sec. post at average dist. from which

a Beech 8 in. dia. brang N40W2 lks. dist. of

T4 N. R2 E. 2^d Mer. Indiana

a P. Oak 18 in. diam. bearing N43^W 11 lks. dist.
81.00 to Section Corner

North Between Sect. 2 & 3, T4 N. R2 E.

33.40 a Hickory 12 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Sugar 12 in. diam. bearing S58^W 47 lks. dist. &

a Beech 12 " " " N74^E 10 " "

79.70 Intersected the N. boundary 67 lks. N. of post

Set a post Cor. to Sect. 2 & 3, from which

a Beech 14 in. diam. bearing N67^E 36 lks. dist. &

a Do 12 " " " S18^W 16 " "

Land 2^d rate, Beech, Oak &c. very brushy

North Between Sect. 33 & 34, T4 N. R2 E.

15.65 a Poplar 12 in. diam. in the line

40.00 Set the q. Sec. post, from which

an Ash 18 in. diam. bearing N11^E 23 lks. dist. &

a Hickory 14 " " " S59^W 20 " "

54.05 a P. Oak 30 " " in the line

80.00 Set a post Cor. to Sect. 27, 28, 33 & 34, from which

a Beech 8 in. diam. bearing N20^E 23 lks. dist. &

a Hickory 12 " " " S11^E 14 " "

Land 2^d rate Beech, Oak, Poplar, Ash &c

East On Random between Sect. 27 & 34

18.50 a Stream 5 lks. wide at S. E.

40.00 Set temp. q. Sec. post

81.10 Intersected the N & S. line at the post

Land 2^d rate. July 30th 1820

West On true line between Sect. 27 & 34, T4 N. R2 E.

40.50 Set q. Sec. post, at average dist. from which

T4 N. R2 E. 2nd Mer. Indiana

an Ash 14 in. dia. bear S60 E 25 lks. dist. of
a W. Oak 12 " " " N30 W 15 " "

81.10 to Sec. Corner.

North Between Sec. 27 & 28, T4 N. R2 E.

16.50 at Beech 14 in. dia. in the line

40.00 at the q. Sec. post, from which

a W. Oak 20 in. dia. bear S82 W 3 lks. dist. of

a Beech 10 " " " N19 E 3 " "

56.50 an Ash 20 " " in the line

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which

a Beech 14 in. dia. bear N76 E 24 lks. dist. of

a Hickory 10 " " " S45 W 5 " "

Land 2nd rate, Oak, Elm, Poplar, &c.

East On Random betw. Sec. 20 & 27, T4 N. R2 E

40.00 at temp. q. Sec. post

81.00 Intersected the N & S. line 73 lks. N. of post

Land 2nd rate, Beech, W. Oak, Poplar, Oak &c

West On true line betw. Sec. 22 & 27, T4 N. R2 E.

40.50 at q. Sec. post at average dist. from which

a Beech 12 in. dia. bear N57 W 30 lks. dist. of

a do 4 " " " S25 E 2 " "

81.00 to Sec. Corner.

North Between Sec. 21 & 22, T4 N. R2 E.

25.00 a Hickory 12 in. dia. in the line

40.00 at the q. Sec. post, from which

a Beech 14 in. dia. bear N60 E 24 lks. dist. of

a do 18 " " " S40 W 21 " "

61.00 a Hickory 22 " " in the line

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which

T4 N. R2 E. 2^d Mer. Indiana

an Ash 12 m. diam. bearing N12 W 23 lks. dist. of
a Beech 14 " " " S19 W 45 " "
Land 2^d rate, Beech, Sugar, Oak &c.

East Out Random between Sec. 15 & 22, T4 N. R2 E.

40.00 Set temp. q. Sec. post

73.00 a Spring N.E.

76.00 a Stream 3 lks. wide C. N.E.

81.05 Intersected the N & S. line 15 lks. N. of post
Land 2^d rate, timber Same

West On true line between Sec. 15 & 22, T4 N. R2 E

40.52 1/2 set q. Sec. post at average dist. from which
a Beech 10 m. diam. bearing N38 E 16 lks. dist. of
a Do 10 " " " S71 W 18 " "

81.05 to Sec. Corner.

North Between Sec. 15 & 16, T4 N. R2 E.

31.00 an Ash 18 m. diam. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 12 m. diam. bearing N26 W 17 lks. dist. of

a Beech 10 " " " S25 E 45 " "

63.26 a W. Oak 10 " " in the line

80.00 Set a post cor. to Sec. 9, 10, 15 & 16, from which

a Poplar 20 m. diam. bearing N59 W 16 lks. dist. of

an Ash 20 " " " S46 E 25 " "

Land 2^d rate, Beech, Oak & Ash. July 21st

East Out Random between Sec. 10 & 15, T4 N. R2 E

40.00 Set temp. q. Sec. post

81.20 Intersected the N & S. line 27 lks. N. of post

Land 2^d rate, Beech, Oak, Sugar &c.

T4 N. R2 E. 2nd Mer. Indiana

West On true line betw. Sec. 10 & 15, T4 N. R2 E.
 40.60 Set q. Sec. post at average dist. from which
 a Beech 12 in. dia. bear N87 W20 lks. dist. of
 a Do 4 " " " N89 E11 " "
 81.20 to Sec. Corner

North Between Sec. 9 & 10, T4 N. R2 E.
 11.95 at Beech 4 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bear N40 E13 lks. dist. of
 a Do 12 " " " N45 W42 " "
 52.15 an Elm 24 " " in the line
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a W. Oak 8 in. dia. bear N36 E16 lks. dist. of
 an Ironwood 6 " " " S5 W8 " "
 Land 2nd rate, Beech, Oak, Elm, Sugar &c.

East On Random between Sec. 3 & 10, T4 N. R2 E.
 40.00 Set temp. q. Sec. post
 81.28 Intersected the N & S. line 19 lks. N. of post
 Land 2nd rate Beech, Oak, Sugar &c.

West On true line between Sec. 3 & 10, T4 N. R2 E.
 40.64 Set q. Sec. post at average dist. from which
 an Ash 12 in. dia. bear N40 E13 lks. dist. of
 a Hickory 10 " " " N25 W7 " "
 81.28 Sec. Corner.

North Between Sec. 3 & 4, T4 N. R2 E. 2nd Mer.
 22.00 a B. Oak 30 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bear N62 W20 lks. dist. of
 a Do 12 " " " N43 E2 " "

21

T4 N. R2 E. 2^d. Mer. Indiana

47.45 a Hickory 24 m. dia. in the line
 79.00 Intersected the N. boundary 200 lks. N. of post
 Set a post Cor. to Sec. 3 & 4, from which
 a Beech 5 m. dia. bray S 3 E 3 lks. dist. of
 a do 12 " " " S 83 W 28 " "
 Land timber &c. same as on the last mile

North Between Sec. 32 & 33, T4 N. R2 E.

23.00 a Beech 16 m. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 12 m. dia. bray S 83 E 29 lks. dist. of
 a W. Oak 30 " " " S 67 W 37 " "
 50.65 a Hickory 20 " " in the line
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
 an Ash 14 m. dia. bray N 55 W 40 lks. dist. of
 a Beech 14 " " " S 35 E 23 " "
 Land flat 3^d. rate timber Ash, Beech &c.

East On Random between Sec. 28 & 33

40.00 Set temp. q. Sec. post
 80.67 Intersected the N. & S. line 5 lks. S. of post
 Land 2^d. rate, Beech, Oak, Sugar &c. July 22. 1870

West On true line between Sec. 28 & 33, T4 N. R2 E

44.33 Set q. Sec. post at average dist. from which
 a Hickory 10 m. dia. bray S 35 E 21 lks. dist. of
 a Beech 10 " " " S 16 W 27 " "
 80.67 to Sec. Corner

North Between Sec. 28 & 29, T4 N. R2 E. 2^d. Mer.

24.64 a Beech 14 m. dia. in the line
 40.00 Set the q. Sec. post, from which
 an Ash 18 m. dia. bray N 59 E 3 lks. dist. of

T4 N. R2 E. 2^d Mer, Indiana

at Beech 14 m. dia. bray 150 ft 20 lks. dist. of
 54.19 Ash 30 m. dia. in the line
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 10 m. dia. bray N 27 W 12 lks. dist. of
 a Poplar 50 " " " S 33 E 23 " "
 Land 2^d rate Beech, Oak, Sugar &c.

East On Random between Sec. 21 & 28, T4 N. R2 E.
 40.00 Set temp. q. Sec. post
 80.60 Intersected the N & S. line 30 lks. S. of post
 Land 2^d rate, Beech, Oak, Sugar &c

West On true line, between Sec. 21 & 28, T4 N. R2 E.
 40.30 Set q. Sec. post, at average dist. from which
 a Beech 5 m. dia. bray N 41 E 26 lks. dist. of
 an Ash 12 " " " N 20 W 30 " "
 80.60 to Sec. Corner.

North Between Sec. 20 & 21, T4 N. R2 E
 13.00 a Beech 14 m. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 12 m. dia. bray N 87 E 12 lks. dist. of
 a do 7 " " " N 70 W 24 " "
 64.00 an Ash 10 " " in the line
 80.00 Set a post Corner to Sec. 16, 17, 20 & 21, from which
 a B. Walnut 24 m. dia. bray N 32 W 23 lks. dist. of
 a Hornbeam 4 " " " S 35 E 18 " "
 Land 2^d rate, Beech, Oak, Sugar, Poplar &c.

East On Random betwⁿ Sec. 16 & 21, T4 N. R2 E
 40.00 Set temp. q. Sec. post,
 80.46 Intersected the N & S. line 5 lks. N. of post
 Land timber &c. Same as on the last mile

T4 N R2 E. T. Mer. Indiana

23

West On true line between Sec. 16 & 21, T4 N. R2 E.
 40.23 Set q. Sec. post at average dist. from which
 a Dogwood 4 m. dist. bear S 2 W 25 lks. dist. of
 a W. Oak 24 " " " N 22 E 25 " "
 80.46 to Sec. Corner.

North Between Sec. 16 & 17, T4 N. R2 E.
 17.50 an Ash 30 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 m. dist. bear S 15 W 44 lks. dist. of
 a Beech 12 " " " N 18 E 45 " "
 44.00 a W. Oak 24 " " in the line
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 14 m. dist. bear N 32 W 7 lks. dist. of
 a Sugar 18 " " " S 35 E 45 " "
 Land 2nd rate Beech, Oak, Ash &c

East On Random between Sec. 9 & 16, T4 N. R2 E.
 40.00 Set temp. q. Sec. post
 80.25 Intersected the N. & S. line 70 lks. S. of post
 Land 2nd rate Beech, Oak, Sugar, Spruce &c.

West On true line between Sec. 9 & 16, T4 N. R2 E.
 40.12 1/2 Set q. Sec. post at average dist. from which
 a W. Oak 14 m. dist. bear S 52 W 9 lks. dist. of
 a Beech 12 " " " N 51 E 13 " "
 80.25 to Sec. Corner

North Between Sec. 8 & 9, T4 N. R2 E.
 33.00 at Beech 24 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 12 m. dist. bear N 75 E 2 lks. dist. of
 a Do 10 " " " N 46 W 16 " "

West R2 E. 2nd 2nd Mer. Indiana

63.00 a Beech 14 mi. dist. in the line
 80.00 at a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 10 mi. dist. bear N 80 E 23 lks. dist. of
 a Buckeye 8 " " " N 63 W 25 " "
 Land 2nd rate, Beech, Buckeye &c. July 23. 1820

East On Random between Sec. 4 & 9, T4 N. R2 E.
 40.00 at temp. q. Sec. post
 80.20 intersected the N. & S. line 14 lks. S. of the post
 Land 2nd rate, Beech, Oak, Sugar, Ash &c.

West On true line between Sec. 4 & 9, T4 N. R2 E.
 40.10 at q. Sec. post at average dist. from which
 a Beech 10 mi. dist. bear N 20 W 16 lks. dist. of
 a Beech 12 " " " N 26 E 11 " "
 80.20 to Sec. Cor.

North Between Sec. 4 & 5, T4 N. R2 E.
 23.45 a Sugar 12 mi. dist. in the line
 40.00 at the q. Sec. post, from which
 a Sugar 18 mi. dist. bear N 3 E 8 lks. dist. of
 a Do 14 " " " N 20 W 6 " "
 66.35 a Sugar 14 " " in the line
 79.50 intersected the N. boundary 200 lks. W. of post
 at a post Cor. to Sec. 4 & 5, from which
 a Beech 14 mi. dist. bear N 3 W 12 lks. dist. of
 a Do 12 " " " N 10 E 23 " "
 Land 2nd rate Beech, Oak &c.

North Between Sec. 31 & 32, T4 N. R2 E.
 38.27 a W. Oak 12 mi. dist. in the line
 40.00 at the q. Sec. post, from which
 a Sugar 4 mi. dist. bear S 77 W 12 lks. dist. of

St. N. R2E, 2^d. Mer. Indiana

a Sugar 8 in. dia. bray N36 E 20 lks. dist. of
 56.50 a Lycamore 20 " " in the line
 80.00 Let a post Cor. to Secs. 29, 30, 31 & 32, from which
 an Ash 12 in. dia. bray S89 W 42 lks. dist. of
 a Beech 18 " " " S70 E 20 " "
 Land 2^d. rate Beech, Oak, Sugar &c.

East On Random between Secs. 29 & 32, St. N. R2E.
 40.00 Let temp. of Sec. post
 80.78 Intersected the N & S. line 23 lks. S. of post
 Land 2^d. rate, Beech, Oak, & Brush

West On true line between Secs. 29 & 32, St. N. R2E.
 40.39 Let of Sec. post at average, dist. from which
 a Beech 12 in. dia. bray S30 E 22 lks. dist. of
 a Elm 14 " " " N40 W 33 " "
 80.78 to Sec. Corner.

West Between Secs. 30 & 31, St. N. R2E
 40.00 Let the of Sec. post, from which
 a Hickory 5 in. dia. bray S3 E 9 lks. dist. of
 a Buckeye 9 " " " N21 E 16 " "
 65.75 Intersected the W. boundary 100 lks. S. of post
 Let a post Cor. to Secs. 30 & 31, from which
 a Locust 16 in. dia. bray S22 W 29 lks. dist. of
 a Thorn 4 " " " N15 E 12 " "
 Land 2^d. rate, Beech, Oak, Sugar, Elm &c

North Between Secs. 29 & 30, St. N. R2E.
 14.05 a Beech 24 in. dia. in the line
 40.00 Let the of Sec. post, from which
 a Cherry 14 in. dia. bray N71 E 9 lks. dist. of
 a Beech 12 " " " N70 W 7 " "

Thos. R. D. E. 2^d. Mer. Indiana

54.67 a Beech 18 in. dia. in the line
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
 a Sugar 14 in. dia. bray N 11 E 28 lks. dist. of
 a Do 14 " " " N 23 W 9 " "
 Land timber &c. same as on the last mile

East On Random between Secs. 20 & 29, Thos. R. D. E.
 40.00 Set temp. q. Sec. post
 80.74 Intersected the N & S. line 5 lks. N. of post
 Land 2^d. rate, Ash, Beech, Oak, &c.

West On true line between Secs. 20 & 29, Thos. R. D. E.
 40.37 Set q. Sec. post at average dist. from which
 a Hickory 12 in. dia. bray N 18 W 26 lks. dist. of
 a Beech 17 " " " N 1 E 31 " "
 80.74 to Sec. Cor. July 24th. 1820

West Between Secs. 19 & 30, Thos. R. D. E.
 40.00 Set q. Sec. post, from which
 a W. Oak 30 in. dia. bray N 16 E 72 lks. dist. of
 a Hackberry 10 " " " N 18 W 28 " "
 42.00 a Stream 25 lks. wide Cr. S.
 66.50 Intersected the W. boundary 112 lks. N. of post
 Set a post, Cor. to Secs. 19 & 30, from which
 a Beech 24 in. dia. bray N 1 E 22 lks. dist. of
 a Do 20 " " " N 34 W 9 " "
 Land 2^d. rate, Beech, W. Oak & Hackberry.

North Between Secs. 19 & 20, Thos. R. D. E.
 8.00 a B. Walnut 14 in. dia. in the line
 35.00 a Spring N. W.
 40.00 Set the q. Sec. post, from which
 an Ash 8 in. dia. bray N 10 W 6 lks. dist. of

T4 N. R2 E. 2^d Mer. Indiana

an Ash 6 in. dia. bray S6 W 22 lks. dist. of
 80.00 Set a post Cor. to Sec. 17, 18, 19, 20, from which
 a W. Oak 20 in. dia. bray N83 W 19 lks. dist. of
 a Beech 18 " " " S61 E 19 " "
 Land 2^d rate, Beech, Oak, Sugar, Elm &c.

East On Random between Sec. 17 & 20

40.00 Set temp. q. Sec. post
 80.50 Intersected the N. S. line 8 lks. N. of post
 Land 2^d rate

West On true line between Sec. 17 & 20, T4 N. R2 E.

40.25 Set q. Sec. post at average dist. from which
 a Buckeye 10 in. dia. bray N83 W 23 lks. dist. of
 a Do 6 " " " N59 E 15 " "
 80.50 to Sec. Corner

West Between Sec. 18 & 19, T4 N. R2 E.

1.10 a stream 25 lks. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 an Ash 12 in. dia. bray N85 W 16 lks. dist. of
 a Beech 14 " " " S82 E 15 " "
 68.00 Intersected the W. boundary 78 lks. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 10 in. dia. bray S22 W 9 lks. dist. of
 a Do 12 " " " N40 W 30 " "
 Land 2^d rate, Beech, Oak, Elm, Spice &c.

North Between Sec. 17 & 18, T4 N. R2 E.

8.50 a stream 25 lks. wide runs west
 12.25 Same 25 " " " S. E.
 18.00 Same 25 " " " S. W.
 38.66 a Beech 10 in. dia. in the line

T4th R2E, 2^d Mer. Indiana

40.00 Let the q. Sec. post, from which
 a Beech 12 in. dia. bray N16 E 17 lks. dist. of
 a do 12 " " " N26 W 52 " "
 55.74 a Sugar 14 " " in the line
 80.00 Let a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 10 in. dia. bray West 7 lks. dist. of
 a Sugar 12 " " " N82 E 35 " "
 Land 2^d rate, Beech, Oak, Sugar &c.

East On Random between Sec. 8 & 17, T4th R2E.
 18.00 a Stream 25 lks. wide Cr. South
 40.00 Let temp. q. Sec. post
 80.25 intersected the N & S. line 39 lks. S. of post
 Land 2^d rate Beech, Oak, Sugar &c.

West On true line between Sec. 8 & 17, T4th R2E.
 40.12 Let q. Sec. post at average dist. from which
 a Sugar 10 in. dia. bray N20 E 11 lks. dist. of
 a do 8 " " " N37 W 26 " "
 80.25 to Sec. Corner. July 25th 1820

West Between Sec. 7 & 18, T4th R2E.
 40.00 Let the q. Sec. post, from which
 a Beech 4 in. dia. bray S70 W 12 lks. dist. of
 a Hickory 12 " " " N61 E 31 " "
 68.50 intersected the W. boundary 100 lks. S. of post
 Let a post Cor. to Sec. 7 & 18, from which
 a Beech 14 in. dia. bray N26 W 15 lks. dist. of
 a Iron? 3 " " " N68 E 5 " "
 Land 2^d rate, Beech, Oak, Sugar, &c.

North Between Sec. 7 & 8, T4th R2E.
 17.95 a Sugar 14 in. dia. in the line

T4N R2E, 2^d Mer. Indiana

29

40.00 Set the q. Sec. post, from which
an Ironw. 5 in. dia. bray 1718 lbs. dist. of
a Beech 14 " " " N 82 W 23 " "
53.10 at Beech 14 " " in the line
80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
a Sugar 20 in. dia. bray 1479 lbs. dist. of
a Beech 12 " " " N 47 E 18 " "
Land 2^d rate, Beech, Oak, Sugar, Elm &c.

East Ont. Random between Sec. 5 & 8, T4N, R2E
40.00 Set temp. q. Sec. post
43.00 a stream 25 ft. wide Cr. S. W.
80.25 Intersected the N. of S. line 10 lbs. S. of post.
Land 2^d rate, Beech, Oak, Ash &c.

West Ont. true line betwⁿ Sec. 5 & 8, T4N, R2E.
40.12 1/2 Set q. Sec. post at average dist. from which
a W. Walnut 18 in. dia. bray 1489 lbs. dist. of
a Gum 18 " " " N 40 E 1 " "
80.25 to Sec. Corner.

West Between Sec. 6 & 7, T4N, R2E.
32.00 a Spring Cr. S. E.
40.00 Set the q. Sec. post, from which
a Sugar 12 in. dia. bray 1579 lbs. dist. of
a Beech 12 " " " N 80 E 31 " "
69.32 Intersected the W. boundary 165 lbs. S. of post
Set a post Cor. to Sec. 6 & 7, from which
a Hickory 12 in. dia. bray 1399 lbs. dist. of
a Sugar 12 " " " N 12 E 9 " "
Land 2^d rate, Beech, Oak, W. Ash, Hickory &c.

North Between Sec. 5 & 6, T4N, R2E.

T4 N. R. 2 E. 2. Mer. Indiana

33.69 a Sugar 12 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bray 18 E 26 in. dist of
 a Do 12 " " " N 28 W 44 " "
 50.95 a B. Oak 34 " " in the line
 80.00 Intersected the N. boundary 129 in. W of post
 Set a post Cor. to Sec. 5 & 6, from which
 an Ash 20 in. dia. bray 16 E 6 in. dist of
 a Lym 18 " " " N 53 W 30 " "
 Land 2^d rate timber throughout the whole
 township nearly uniform.

Surveyed by W. B. Laughlin, M. S.

I Certify that the foregoing transcript of field notes of
 Township N. 14, N. Range N. 2 E. 2. Mer. Indiana
 has been Comp. with the original notes in this office and
 found to be Correct.

Surveyor General's Office
 Cincinnati, March 26th 1841

P. P. Peairs

Sur. Gen.